

सं० 317

नई बिल्ली, शनिवार, अगस्त 4, 1979 (श्रावण 13, 1901)

PUBLISHED BY AUTHORITY

No. 311

NEW DELHI, SATURDAY, AUGUST 4, 1979 (SRAVANA 13, 1901)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके Separate paging is given to this Part in order that it may be filed as a separate compilation.

# भाग ПП--खण्ड 2 PART III—SECTION 2

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिय Notifications and Notices issued by the Patent Office relating to Patents and Designs

# THE PATENT OFFICE PATENTS AND DESIGNS

Calcutta, the 4th August 1979

#### APPLICATION FOR PATENTS FILFD AT THE HEAD OFFICE

The dates shown in crescent brackets are the dates claimed under Section 135 of the Act.

# 28th June 1979

662/Cal/79. H. F. Earl and M. Robins. A pellet for an air, gas or spring gun. (July 3, 1978).

663/Cal/79. Amsted Industries Incorporated. Improved brinell testing apparatus.

664/Cal/79. Bihani Industries. Back element for a torch.

665/Cal/79. R. Matalon. Novel method of making foundry molds and adhesively bonded composites.

666/Cal/79. Silver Seiko Ltd. Fabric manipulating device for manipulating the loops of a knitted fabric

667/Cal'/79. Siemens Aktis ngesellschaft. Electro-acoustic transducer.

#### 29th June 1979

668/Cal/79. Bunker Ramo Corporation Flectrical contact assembly for printed circuit board connector.

Chemical Company, Homogenizer 669/Cul/79. Stauffer process for forming emulsion/suspension polymers.

#### 30th June 1979

670/Cal/79. Maschinenfabrik Augsburg-Nurnberg Aktiengesellschaft, Piston for internal combustion engines

671/Cal/79. Dynamit Nobel Aktiengesellschaft. Instantaneous detonator.

# 2nd July 1979.

672/Cal /79. Hoechst Aktiengesellschaft. Process for the manufacture of a mixed catalyst.

673/Cal/79. Nuovo Pignone S.p.A. Spherical sealtight valve for fluids.

W. Hegler. Apparatus for the manufacture of transversely contoured tubing from thermoplastic 674/Cal/79. material.

675/Cal/79. The Wesman Engineering Co. Ltd Apparatus for drying tea leaves.

#### 3rd July 1979

676/Cal/79. Gulf Research & Development Company. Combined coal liquefaction-gasification process.

Gulf Research & Development Company. Coal liuqefaction process employing multiple recycle

678/Cal/79. Amsted Industries Incorporated. Wheel casting apparatus.

679/Cal/79. Johnson & Johnson. Orthopedic bandage.

680/Cal/79. Metallgesellschaft A.G. Dust collector adapted to form a pressure relief opening.

681/Cal/79. G. P. Chourashia. A crane case cover for sumps of diesel locomotive engines.

682/Cal/79. D. N. Tverskoi, A. G. Kashirsky, J. N. Sulie and D. N. Trofinov. Lathe.

#### 4th July 1979

683/Cal/79. Maschinenfabrik Rieter A.G. A method of autometically taking in a fibre layer in blow-room

1-177 GI/79

- machines and an apparatus for carrying out the method. (July 4, 1978).
- 684/Cal/79. Maschinenfabrik Ricter A.G. Apparatus for separating opened fibre flocks from a transporting air stream. (July 4, 1978).
- 685/Cal/79. Maschinenfabrik Rieter A.G. Fibre flock material feed apparatus for opening rollers. (July 4, 1978).
- 686/Cal/79. Maschinenfabrik Ricter A.G. False twist machines. (July 4, 1978).
- 687/Cal/79. Delta Plastics Limited. Improvements in and relating to liquid flow sensing devices. (July 5, 1978).
- 688/Cal/79. Metallgesellschaft A.G. Process of gasifying fine-grained solid fuels.
- 689/Cal/79. Toyama Chemical Co. Ltd. Novel process for producing 7-(substituted)amino-3-substituted thiomethyl-△³-cephem-4-carboxylic acids.

# APPLICATION FOR PATENTS FILED AT THE BOMBAY BRANCH

### 18th June 1979

182/Bom/79. The Textile and Allied Industry Research Organisation, Improvements in or relating to open-end spinning machines.

#### 21st June 1979

183/Bom/79. Hidnustan Lever Ltd., Antiperspirants (Convention date 23-6-1978, U.K.).

#### 22nd June 1979

- 184/Bom/79. Mulchand Motiram Lohar, Improvement in or relating to colour changing fountain.
- 185/Bom/79. Madhu Velji Popat, Improvement in or relating to scaling arrangements of bottles or containers,

# APPLICATION FOR PATENTS FILED AT THE (MADRAS BRANCH)

26th June 1979

118/Mas/79. A. J. Stephen. A Surge Voltage and Surge Current Protected System.

# 29th June 1979

119/Mas/79. Pfimax International. Improvements in Pharmaceutical Formulations Intended for Oral Administration by Micronisation, this invention in Micromeritics i.e. Particle Technology, relates to increasing the Therapeutic Efficacy of Active Ingredients of Allopathic, Ayurvedic and Unani Origin.

120/Mas/79, R. Ganesan. Rescue Stretcher.

#### ALTERATION OF DATE

146652. 1462/Cal/77. Ante-dated August 12, 1974.

# COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in the opposing the grant of patents of any of the applications concerned may at any time within four months of the date of this issue or on form 14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months given notice to the Controller of Patents at the appropriate office as indicated in respect or each such application, on the prescribed form 15 of each opposition. The written statement of opposition should be filed along with the said notice or within one month from its date as prescribed in Rule 35 of the Patents Rules, 1972.

"The classifications given below in respect of each specifications are according to Indian Classification and International Classification.

A limited number of printed copies of the specifications listed below will be available for sale from the Government of India Book Depot, 8, Kiran Shankar Ray Road, Calcutta in due course. The price of each specification is Rs. 2/(postage extra is sent out of India). Requisition for the supply of the printe dspecifications should be accompanied by the number of the specifications as shown in the following list.

Typed or photo copies of the specifications together with the photo copies of the drawings, if any can be supplied by the Patent Office, Calcutta on payment of the prescribed copying charges which may be ascertained on application to that office.

CLASS 56F.

146641.

Int. Cl.-C10j 3/46.

A PROCESS FOR CONVERTING A COAL BASED SOLID FUEL INTO A LIQUID FUEL.

Applicant: TEXACO DEVELOPMENT CORPORATION. OF 135 EAST 42ND STREET, NEW YORK, NEW YORK 10017, UNITED STATES OF AMERICA.

Inventor: WARREN GLEASON SCHLINGER.

Application No. 1285/Cal/77 filed August 18, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

## 8 Claims.

A process for the conversion of coal based solid fuel as herein described into fluid fuels which comprises mixing ground solid fuel at least 50% of which passes through 200 mesh sieve, with a liquid solvent therefor as herein described having boiling point of 350°—900°F within the operation pressures, heating the mixture so obtained and maintaining it at a temperature between 700°—900°F and a pressure between 500 and 5000 sig for a period of between 10 seconds and 30 minutes, passing the so heat treated mixture to a stripping operation carried out at around the temperature of heating, in counter current contact with a gaseous medium as herein described containing hydrogen preferably as pure hydrogen or as synthesis gas having carbon monoxide and hydrogen as major constituents with at least 40% hydrogen, as a stripping medium flowing apwardly at a rate of at least 1,000 standard cubic feet and not exceeding 20,000 standard cubic feet per barrel of liquid introduced for the stripping operation and removing stripped material from the top of said stripping operation as said fluid fuel, the heating operation, optionally being carried out with a heating medium which is similar to the stripping medium above.

CLASS 70B.

146642.

Int. Cl.-B01k 3/02, 3/10.

ELECTRODE FOR USE IN A DIAPHRAGM OR MEMBRANE CELL,

Applicant: MARSTON EXCELSIOR LIMITED, OF WOBASTON ROAD, FORDHOUSES, WOLVERHAMPTON WV10 6QJ, ENGLAND.

Inventors: RONALD DICKSON, AND MICHAEL ROBERT HAMPSON.

Application No. 137/DeI/77 filed June 21, 1977.

Convention date June 21, 1976/(25637/76) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

#### 17 Claims.

An electrode for use in a diaphragm or membrane cell having a gap of a given width between adjacent diaphragms of membranes for the insertion of the electrode, the electrode having an elongate current feeder and at least two continuous or foraminat electrode sheets, characterised in that the electrode sheets are directly connected to the clongate feeder and arc so arranged that the sheets over a substantial arca are at least in part spaced wider apart than the width of the gap and in that the electrode sheets are resiliently movable towards one another, for insertion into the gap, springing outwardly when in the gap.

CLASS 50B & D & 106 & 173A & B.

146643.

Int. Cl.-F28b 3/04.

ATTFMPERAFOR

Applicant: YARWAY CORPORATION, AT NORRISTOWN ROAD AND NARCISSA ROAD, BLUE BELL, PENNSYLVANIA 19422, U.S.A.

Inventor: WARREN HENRY BRAND.

Application No. 446/Del/77 filed December 9, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch

#### 11 Claims.

An attemperator for spraying a liquid into a gaseous stream comprising a spray tube, means for connecting said spray tube to a high pressure source of liquid, a flow control means at the entrance to said spray tube for controlling the flow of liquid into said spray tube, and a plurality of nozzle means on said spray tube, each of said nozzle means being operative to inject a fine spray of liquid travelling along an expanding helical path from said spray tube into the gaseous stream.

CLASS 139A.

146644.

Int. Cl.-C09c1/48.

PROCESS FOR THE PRODUCTION OF CARBON BLACK.

Applicant: VSESOJUZNY NAUCHNO-IŠSLEDOVA-TELSKY INSTITUT TEKHNICHESKOGO UGLERODA, OF OMSK, 5 KORDNAYA, ULITSA 29, U.S.S.R.

Inventor: VITALY FEDOROVICH SUROVIKIN.

Application No. 1651/Cal/77 filed November 26, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 3 Claims.

A process for the production of carbon black, comprising the steps of burning a fuel with oxygen, the latter prior to being fed for burning is mixed with superheated water vapor in the volume ratio of 1:1.5 to 1:10 respectively, introducing a hydro-carbon feedstock into the stream of fuel combustion products, having temperature of 1600—2000°C there by causing said feedstock to be thermally decomposed at the temperature of 1200—1500°C with the formation of reaction products, subjecting the reaction products thus obtained to cooling, and then separating the carbon black formed by conventional methods.

CLASS 35A & B & 178.

146645.

Int Cl.-B26d 1/00.

#### CONCRETE/ASPHALT CUTTING MACHINE.

Applicant & Inventor: ARJUN HOLARAM MAKHIJA, C/O. MECHAIDS CORPORATION, FLAT 48, VENUS APARTMENTS, 45, WORLI ROAD, NO. 10, CROSS ROAD, BOMBAY-400018, AND MANOHAR HOLARAM NAKHIJA, C/O. MECHAIDS CORPORATION, FLAT 48, VENUS APARTMENTS, 45, WORLI ROAD NO. 10, CROSS ROAD, BOMBAY-400018.

Application No. 49/Bom/77 filed January 31, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Bombay Branch.

#### 2 Claims.

A concrete/asphalt cutting machine empowered by any prime mover 'M', comprising four wheels 'WR' and 'WF' independently mounted within a frame work, a diamond cutting wheel 'D' fixed on the frame work 'F' a castor wheel fixed to the frame work through a system of linkages 'L' and 'Y' pivotd at two points on the frame work 'F', and an operating hand wheel 'A' for regulating the mechanism arranged such that the whole operation requires minimum effort at the hand wheel 'A' of the operator, as the entire weight of the prime mover 'M' acts on the cutting wheel 'D'.

CLASS 68E, & 71E.

146646

Int. Cl.-G05f 1/00.

ELECTRONIC REGULATOR FOR MAGNETORQUF EXCAVATOR.

Applicant: TATA ENGINEERING & LOCOMOTIVE COMPANY LIMITED, JAMSHEDPUR, STATE OF BIHAR, INDIA.

Inventors: JIBAN KRISHNA GUHA BARMAN AND VIVEKANAND SHARMA.

Application No. 1020/Cal/76 filed June 11, 1976.

Complete specification lest September 12, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 1 Claim

Improvement in or modification of the electronic regulator magnetorque excavator disclosed and claimed in Indian Patent Specification No. 143424 in which (a) the output voltage of the regulator, which feeds the alternator field, corresponds to the resistance change occurring at the swing corroller terminal; (b) the change in the output voltage of the regulator takes place independent of the swing controller arm position so as to compensate for the change in alternator output voltage, during periods of engine loading; (c) in the preregulator stage the voltage to the rest of the circuit is limited to some voltage 'VR' as soon as the output voltage of the alternator exceeds some 'Va' volts i.e. voltage at A which is the rectified DC voltage of the alternator after a field blocking diods, and (d) means are provided for voltage and current trips the modification for achieving the above objects being effected by the circuit as illustrated with respect to the accompanying drawings and as herein described.

CLASS 191.

146647.

Int. Cl.- B41j 5/10.

KEYBOARD APPARATUS, E.G. FOR TYPEWRITING TYPFSETTING, DATA HANDLING AND SIMILAR MACHINES.

Applicant & Applicant: VELAUTHAR KOPALAPILLA! THILLAINAYAGAM, OF 74, FORLEASE ROAD, MAINENHEAD, BFRKSHIRE, SL6 1SD, GREAT BRITAIN.

Application No. 1762/Cul/76 filed September 24, 1976.

Convention date October 27, 1975/(44085/75), U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 14 Claims

Keyboard apparatus for printing and/or producing electrical signals corresponding to compound character components that, in combination form compound characters of a language, the keyboard apparatus being characterised by a first set of keys each of which is operable to print and/or produce an electrical signal corresponding to a compound character component representative of a consonant, a second set of keys each of which is operable to print and/or produce an electrical signal corresponding to a compound character component representative of a vowel, and being characterized in that the sequential operation of one key of the first set and one key of the second set will print without overprinting and/or produce two sequential electrical signals corresponding to the two associated compound character components that together represent a compound character of the language in the form of the consonant followed by the vowel.

CLASS 63-I.

146648

Int. Cl.-H02k 51/00.

IMPROVED PLURAL ELECTRIC MOTOR DRIVE SYSTEM FOR SHARING A COMMON LOAD BETWEEN THE MOTORS.

Applicant: ALLIS-CHALMERS CORPORATION, OF 1126 SOUTH 70TH STREET, WEST ALLIS 14, WISCONSIN, UNITED STATES OF AMERICA.

Inventor: WILLIAM LYLE RINGLAND.

Application No. 2039/Cal/76 filed November 12, 1976.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 7 Claims.

A drive system comprising a pair of synchronous electric motors coupled to a common load for drive thereof and for sharing the load between the motors, each of said motors having a rotor with a field winding thereon and a stator with a rotating magnetic field generating polyphase winding thereon comprising plural phase windings adapted to be energized from individual phase of a polyphase electrical power source to generate a rotating magnetic neid within the stator, characterized in that each stator phase winding comprises plural winding sections with at least one winding section connected in series with a different winding section of the corresponding phase winding of the other motor to thereby permit the respective winding sections in each phase winding to have different motor torque effects.

CLASS 34A & 136E.

146649.

Int. Cl.-B29d 7./02.

A SELF SUPPORTING ELASTIC AND THERMO-PLASTIC FILM, AND PROCESS FOR EXTRUDING THE SAME.

Applicant: JOHNSON & JOHNSON, AT 501, GEORGE STREET, NEW BRUNSWICK, NEW JERSEY, UNITED STATES OF AMERICA.

Inventor: RALF KORPMAN.

Application No. 842/Cal/77 filed June 6, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 13 Claims. No drawings.

A sell-supporting, elastic and thermoplastic film not above 10 mils in thickness and being extruded and hot drawn from an elastomeric and thermoplastic film forming composition which comprises an elastomeric component and a resin component; said elastomeric component consisting essentially of linear or radial A-B-A block copolymers or mixtures of said A-B-A copolymers with simple A-B block copolymers, said A-blocks being derived from styrene or styrene homologues and said B-blocks being derived from conjugated dienes or lower alkenes; said resin component consisting essentially of low molecules weight resins having average molecular weight not above 3000 being adapted to associate principally with the thermoplastic A-blocks of said block copolymers and having a number average molecular weight not above 3,000; said composition comprising at least 85 parts of the low molecular weight A-block associating resins per one hundred parts by weight of the elastomeric component; said film possessing: I. an elastic recovery from 50 percent stretch of at least 75 percent, 2. a rubber modulus of not above 2,000 pounds per square inch at 50 percent elongation, 3. a Gurley stiffness at a thickness of 1 mil of not above one.

CLASS 128A.

146650.

Int. Cl.-A61f 13/00, A611 15/00.

A HIGHLY FLEXIBLE AND CONFORMABLE DISPOSABLE ABSORBENT DRESSING.

Applicant: JOHNSON & JOHNSON, AT 501 GEORGE STREET, NEW BRUNSWICK, NEW JERSEY, UNITED STATES OF AMERICA.

Inventor: RALF KORPMAN.

Application No. 845/Cal/77 filed June 7, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

### 19 Claims.

A highly flexible and conformable disposable absorbent dressing which comprises a layer of conventional absorbent material, and a thin, flexible, elastic and easily stretchable thermoplastic backing film as herein defined retained in superimposed relationship with said absorbent layer, said backing

film possessing: 1. an elastic recovery from 50 percent stretch of at least 75 percent, 2 a rubber modulus of not above 2,000 pounds per square inch a 50 percent elongation, and 3. a Gurley stiffness at a thickness of 1 mil of not above one, and it desired, the said backing film overlaps the absorbent layer a substantial amount in the direction of their interface to form opposed flaps of the film at opposite sides of the absorbent layer said flaps being elastic, easily stretchable and highly extensible.

CLASS 32C & D.

146651.

Int. Cl.-C01: 1/00.

METHOD FOR THE PREPARATION OF ANTIMICRO-BIAL COMPOSITIONS,

Applicant: NATIONAL RESEARCH LABORATORJES, OF 3367, BLUE ROCK ROAD, CINCINNATI, OHIO, U.S.A.

Inventors: GERALD LOUIS MAURER AND SUDHIR KASHINATH SHRINGARPUREY.

Application No. 1348/Cal/77 filed August 30, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 6 Claims.

A method for the preparation of an antimicrobial composition white comprises dissolving in an aqueous medium a metal complex of a metal for and a polyfunctional organic ligated in predetermined quantities such as herein described, said complex having an aqueous proton induced dissociation property represented by a sigmoidally-shaped curve on a cartesian coordinate plot of the negative log of the metal ion concentration said dissociation property causing the controlled release of metal ions at a pH comparible with the viability of microbes in a medium conducive to microbial viability.

CLASS 32Fad.

146652.

Int Cl.-C07c 31/56.

PROCESS FOR THE PREPARATION OF CARBOXYLIC ACID ANHYDRIDES.

Applicant: HALCON INTERNATIONAL, INC., OF 2 PARK AVENUE, NEW YORK, NEW YORK 10016, UNITED STATES OF AMERICA.

Inventor: DR. COLIN HEWLETI.

Application No. 1462/Cal/77 filed September 30, 1977.

Division of Application No. 1796/Cal/74 filed August 12, 1974.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

### 31 Claims. No drawings.

A process for the preparation of an anhydride of a monocarboxylic acid which comprises reacting a carboxylate ester and/or a hydrocarbyl ether, carbon monoxide and a halide which is an iodide or bromide under substantially anhydrous conditions in the presence of a Group VIII noble metal catalyst, optionally in combination with a promoter as defined hereinafter.

CLASS 126A & D.

146653.

Int. Cl.-G01r

# A TESTING INSTRUMENT.

Applicant & Inventor: KULDIP SINGH JABBAL AND HARBHAJAN SINGH JABBAL, OF 2F/14, DOUBLE STOREY, CIRCULAR ROAD, N.I.T., FARIDABAD-121001, (HARYANA), INDIA

Application No. 248/Del/77 filed September 23, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

#### 6 Claims,

Testing instrument for testing a line output transformer of a television receiver set comprising a power supply circuit connected to a rectifier and storage circuit, an electrical switch connected to the output terminals of said storage circuit and such that in the positive half cycle period said storage circuit is under a storing cycle, a sequence controller circuit connected to said power supply circuit, the output terminals of said sequence controller being connected to said switch and such that in the next half cycle said controller allows said electrical switch to be in an actuated state.

CLASS 24D, & 158D.

146654.

Int. Cl.-B61h 13/00.

A VEHICLE BRAKING INSTALLATION OPERABLE BY PRESSURE MEDIUM.

Applicant: KNORR-BREMSE GMBH., OF 8 MUNCHEN 40, POSTFACH 401060, MOOSACHAR STRASSE 80, FEDERAL REPUBLIC OF GERMANY.

Inventors: KUNO SKACH AND JOHANN HUBER.

Application No. 2113/Cal/76 filed November 25, 1976.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 24 Claims.

A vehicle braking installation operable by pressure medium, comprising a pressure line, a brake control valve for a driver of the vehicle for controlling the pressure in said line, and means for initiating emergency braking action in response to a fall in pressure in said line occasioned otherwise than by operation of the control valve e.g. caused by a rupture in the pressure line or operation of an emergency brake valve;

in which said means for initiating braking action comprises a flow meter arranged to monitor the rate of flow of pressure medium admitted to the pressure line via the brake control valve, and operable between an operative and inoperative state depending respectively on whether the rate of flow of pressure medium exceeds or is less than a predetermined critical value; a discriminator operable to an actuating state when the flow meter is in the operative stage; and a signal line energisable directly or indirectly when the flow meter is in the operative state so as to operate a warning device and/or initiate emergency braking;

in which the discriminator is operable, at the instant in time of operation to the actuating state, to store the pressure level obtaining in the pressure line and to compare this pressure level with subsequent pressures in the pressure line until the flow meter passes into its inoperative state to terminate energisation of the signal line following the monitoring of a fall in the rate of pressure medium supply below the critical value; and in which the discriminator is operable, in the actuating state, to interrupt the energisation of the signal line if the coparison indicates an ascending pressure tendency in the pressure line or, if the coparison indicates an unchanging or descending tendency, releasing the energisation of the signal line thereby to enable operation of the warning device and/or initiate emergency braking.

CLASS 32Fa.

146655.

Int. Cl.-C07b 29/00, C07c 69/00.

PROCESS FOR PREPARING AN AROMATIC CARBONATE.

Applicant: GENERAL ELECTRIC COMPANY, OF 1, RIVER ROAD, SCHENECTADY, STATE OF NEW YORK, 12305, UNITED STATES OF AMERICA.

Inventor: ALAN JOHN CHALK.

Application No 1306/Cal/77 filed August 22, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972 Patent Office, Calcutta.

18 Claims.

Process for preparing an aromatic carbonate which comprises contacting a phenol of formula 1.

wherein R<sub>n</sub> represents an aromatic radical such as herein described wherein the -OH radical is attached directly to an aromatic ring carbon atom and x is a number being at least equal to 1, advantageously from 1 to 4 and preferably from 1 to 2 with carbon monoxide, a base as herein described and a Group VIIIB element relected from ruthenium, rhodium palladium, osmium, iridium or platinum having an oxidation state greater than +1 and recovering the carbonate in conventional manner.

CLASS 116G & 133A.

146656.

Int. Cl.-B65g 49/00.

AUTOMATIC SYSTEM FOR CONTROLLING THE RATE OF FLED OF MATERIAL TO A MILL OR CRUSHER BY MEANS OF A CONVEYOR.

Applicant: THE K.C.P. LIMITED, OF RAMAKRISHNA BUILDINGS, 183, ANNA SALAI (FORMERLY 38, MOUNT ROAD), MADRAS 6, TAMIL NADU, INDIA.

Inventor: URLAM SATYANARAYANA VARA PRA-SADA RAO.

Application No. 69/Mas/76 filed April 17, 1976.

Complete specification left July 18, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

#### 18 Claims.

An automatic system for controlling the rate of feed of material to a mill or crusher by means of a conveyor equipped with or without one or more preparatory devices for rendering the teed uniform, which system comprises:

- (i) a first unit for controlling the speed of the conveyor in relation to the depth of material thereon, said first unit being constituted by sensing means adapted to move over and scan the material on the conveyor and thereby sense the depth thereof and a mechanical-cum-electrical linkage connected to the sensing means and to the variable speed drive unit for the conveyor whereby the motion of the sensing means is transmitted to the variable speed drive unit through the medium of the mechanical-cum-electrical linkage as an inverse ratio of the depth of the material on the conveyor so regulating the speed of the conveyor and the rate of feed of the material thereon, and
- (ii) a second unit for stopping the conveyor instandy in the event of the speed of the mill or crusher falling below a predetermined value and/or in the event of overloading of the preparatory device(s) above a predetermined value of the load current of the respective drive motor(s) of such device(s) and for re-starting the conveyor automatically once the predetermined speed of the mill or crusher or the predetermined value of the load current is restored, said second unit being constituted by one or more overriding circuits connected to the variable speed drive unit for the conveyor.

CLASS 144E<sub>6</sub>.

146657.

Int. Cl.-C09c 1/24.

A PROCESS OF PREPARING RED IRON OXIDE PIGMENTS.

Applicant: SHRI A. M. M. MURUGAPPA CHETTIAR RESEARCH CENTRE (CHEMICAL DIVISION), A. M. M. CHARITIES TRUST BUILDING, M. T. H. ROAD, AMBATTUR, MADRAS-600053, TAMIL NADU, INDIA.

Inventors: CHINNA RAJAN ANANDAN AND SRINI-VASA PANCHAPAKESAN.

Application No. 108/Mas/76 filed June 16, 1976.

Complete specification left September 15, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

#### 5 Claims. No drawings.

A process of preparing red iron oxide pigment comprising the oxidation (by methods known per se) of ferrous iron, present is hydrochloric acid pickling liquor, to ferric iron characterised by arresting the oxidation when a predetermined amount of ferric iron is obtained; treating the ferric iron with calcium compounds such as, calcium carbonate, calcium oxide and/or calcium hydroxide, heating the same and arresting the temperature of the reaction at a predetermined value; preparing a suspension in water of the pigment, after leaching out and filtration, the pH of the suspension being regulated between 7—7.5 to obtain pigment of the desired shade.

CLASS 86B.

146658.

Int. Cl-A47g 9/00.

A FOLDABLE PILLOW

Applicant & Inventor: DR. GOWRISHANKER PANDIT RAO PALNITKAR, 5-2-1026 JAWAHARLAL NEHRU ROAD, HYDERABAD-500001, A.P. INDIA.

Application No. 81/Mas/77 filed May 4, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Madras Branch.

#### Claims.

A foldable pillow comprising a rigid sheet member one side of the said member being covered with soft spongy material the other side of the said member having two sets of clamps positioned at equidistance from the lateral edges thereof, the said first set of clamps holding at least two foldable leg members and the said second set of clamps preventing the outward movement of the foldable leg member.

CLASS 14A, & Di.

146659.

Int. Cl.-H01m 3/02.

A PROCESS FOR THE MANUFACTURE OF BATTERY SEPARATORS.

Applicant: PUROLATOR INDIA LIMITED, HAUZ KHAS, P.O. YUSAF SARAI, NEW DFLHI-16, INDIA.

Inventors: SWADESH MOHAN BAGAI AND SESHADRI KRISHNA KUMAR.

Application No. 191/Del/77 filed August 11, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch

#### 4 Claims. No drawings.

A process for the manufacture of battery separators which comprises in treating a conventional paper web in an impregnating bath consisting of phenol formaldehyde resin and a solvent therefor, and, wherein, said resin is present in the range of 2 to 10% by weight, oxalic acid as a clarifying agent present in the amount of 2 to 10% by weight, and stearate or phosphate as a heat stabilizer present in the amount of 2 to 5% by weight, and thereafter curing by methods known per se said treated paper and forming by known mechanical means, ribs thereon.

CLASS 29A & 206E.

146660.

Int. Cl.-G06k 19/00.

A STORAGE DEVICE FOR RECEIVING AN INPUT SIGNAL AND PROCESSING IT TO PRODUCE AN OUTPUT SIGNAL USING AN ANALOG CONVERTER.

Applicant: COMBUSTION FNGINEERING, INC., OF 1000 PROSPECT HILL ROAD, WINDSOR, CONNECTICUT U.S.A.

Inventor: PAUL HERBERT CHASE,

Application No. 151/Cal/77 filed February 2, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972 Patent Office, Calcutta.

#### 4 Claims.

A storage device for receiving an input signal and processing it to produce an output signal comprising:

a. A digital-to-analog converter, having an output port and a plurality of input terminals;

b. means having an input port and a plurality of output terminals, the output terminals being connected to the input terminals of the digital-to-analog converter, for maintaining at its output terminals a digital representation of a signal occurring at its input port at the most recent of a series of discrete times; and

c, means having an output port and first and second input ports, the output port being connected to the input port of the means for maintaining a digital representation, the first input port receiving the input, and the second input port being connected to the output port of the digital-to-analog converter, for producing a signal at its output terminals equal to the sum of a first quantity proportional to signals occurring at its first input port, a second quantity proportional to signals occurring at its second input port, and a constant.

CLASS 32Fa & 40F.

146661.

Int. Cl.-C07c 47/00, B01j 1/00.

IMPROVEMENT IN OR RELATING TO HYDROFOR-MYLATING AN ALPHA-OLEFIN.

Applicant: UNION CARBIDE CORPORATION, AT 270 PARK AVENUE, NEW YORK, STATE OF NEW YORK, 10017, UNITED STATES OF AMERICA,

Inventors: ROBERT WAYNE HALSTEAD, JOHN CUL-VER CHATY.

Application No. 1022/Cal/77 filed July 6, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972 Patent Office, Calcutta.

#### 2 Claims. No drawings.

Improvement in or relating to the process of hydroformylating an alpha-olefin to produce aldehydes therefrom which process comprises feeding said olefin, carbon monoxide and hydrogen to a homogeneous liquid phase composition containing a catalytic amount of rhodium carbonyl complexed with a triarylphosphine present in an amount greater than that amount which complexes with said rhodium carbonyl, condensation products of said aldehydes being present as solvents and said aldehydes, the improvement comprises feeding to said homogeneous liquid phase composition a sufficient amount of oxygen to obtain a desired aldehyde productivity.

CLASS 32F, & F2b.

146662.

Int. Cl.-C07d 65/00.

PROCESS FOR THE PREPARATION OF THIOCHROMAN DERIVATIVES.

Applicant: SCIENCF UNION ET CIE SOCIETE FRAN-CAISE DE RECHERCHE MEDICALE, OF 14, RUE DU VAL D'OR—92150—SURESNES—FRANCE.

Inventors: CHARLES MALEN AND PIERRE ROGER,

Application No. 1311/Cal/77 filed August 22, 1977.

Convention date August 23, 1976/(35029/76) U.K.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972 Patent Office, Calcutta.

8 Claims,

 $\Lambda$  process for the preparation of thiochroman derivatives of the general formula I.

in which A is a hydrogen atom or a halogen atom,  $R_1$  is a hydrogen atom or a linear or branched alkyl radical having from 1 to 5 carbon atoms, and  $R_2$  is an alkyl radical having from 1 to 7 carbon atoms, or a cycloalkyl radical having from 3 to 6 carbon atoms which comprises reacting a hydroxythiochroman of the general formula  $\Pi_{\rm c}$ 

$$A \longrightarrow S$$

in which the substituents R<sub>1</sub> and A are defined as above with a 1-halogeno 2, 3-dihydroxypropane in a basic medium to produce a (2, 3-dihydroxypropyloxy) thiochroman of the general formula V.

in which the substituents A and R<sub>1</sub> have the above-given definitions and selectively converting this glycol into an amino alcohol of the general formula I by reaction with an amine of the general formula IV.

#### R<sub>2</sub>NH<sub>2</sub>

in which R2 has the meaning given above, in the presence of an aminophosphonium halide of the formula shown in Fig. 1. in which each of R'1 and R'2 is a lower alkyl radical or a phenyl radical, and X is a halogen atom, preferably an iodine atom, and further including the step of salification by adding a mineral or organic acid.

CLASS 208.

146663.

Int. Cl.-B43k 19/00.

IMPROVED METHOD OF MAKING HOT CHALKS.

Applicant: THE TATA IRON & STEEL COMPANY LIMITED, JAMSHEDPUR, BIHAR, INDIA.

Inventors: ARUN VITHAL SATHE AND SHRIKANT GANESH BARVE.

Application No. 1583/Cal/77 filed November 3, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 7 Claims. No drawings.

A method of manufacturing hot chalks of improved characteristic which comprises preparing a pigment of particle size such as (-100 mesh Tyler), preparing a blend of the pigment, a binder and a plasticizer with water and finally extruding the same through a mould, curing the extruded material in an oven at a temperature above the melting point of the binder and then cooling it to room temperature.

CLASS 86C & 128K.

146664.

Int. Cl.-A61b 17/00.

MULTIPURPOSE FOLDING TYPE OPERATION TABLE.

Applicant & Inventor: BABULAL TODI, C/O. TODI INDUSTRIES PRIVATE LIMITED, TODI ESTATE, LOWFR PAREL, BOMBAY-400013, MAHARASHTRA, INDIA.

Application No. 419/Bom/76 filed December 1, 1976.

Complete Specification left September 29, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Bombay Branch.

#### 5 Claims.

A multipurpose folding type operation table 1 as shown in Fig. 1. of the drawing accompanying the complete specification comprising a central panel 12, a leg rest panel 14 and a head rest panel 13; two pairs of legs 2, 3 & 4, 5 which are foldable under the central panel 12, folding bars 6, 7, 8, 9, at the corners formed by each leg with the central panel 12, brackets, 10, 10' and 11, 11' with pivoting means, at top of each leg, said legs 4, 5 & 2, 3 being pivotedly connected to said brackets, 10, 10' & 11, 11' respectively; inner edges of head rest panel 13, and leg rest panel 14, being hingedly connected across corresponding brackets; one transverse edge of the central panel, called liftable end L, adapted to be supported on one pair of legs, 2, 3 other transverse edge of the central panel 12, being hingedly connected across brackets 10, 10' on the other pair of said legs; two pairs of parallely disposed arms 15 & 16 with plurality of notches, said arms being connected to the underside of each of the head rest 13, and leg rest 14, respectively and adapted to be supported on cross bars 21 & 22 across each pair of the legs 4, 5 & 2, 3 respectively to permit the notched arms 16 & 15 of the leg rest and the head rest panels respectively to be engaged at the desired notch after adjusting angle of the leg rest 14/head rest 13, below or above the horizontal; a cross member 20, being provided across a pair of another notched arms 17 located near the liftable end L of the central panel in order to permit the notched arms connected to the underside of the central panel 12 to be supported on a cross arm 20' at the desired notch after adjusting angle of the central panel in order to permit the notched arms connected to the underside of the desired notch after adjusting angle of the central panel in order to permit the notched arms connected to the underside of the desired notch after adjusting angle of the central panel in order to permit the hotched arms connected to the underside of the desired notch after adjusting ang

CLASS 87A. 146665,

Int. Cl.-A63b 21/00.

A PHYSICAL EXERCISE DEVICE.

Applicant & Inventor: PESTONII JAL PADSHAH, 16A, ALTAMOUNT ROAD, BOMBAY-400026, MAHARASHTRA STATE, INDIA.

Application No. 103/Bom/77 filed March 14, 1977.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Bombay Branch.

#### 1 Claim.

A physical exercise device comprising a cylinder with a lever rigidly but detachably attached by means of screws or other suitable means a clamp having two jaws one than the other and encircling the cylinder with a locking cum release mechanism attached to the clamp and with or without a friction lining material interposed between the cylinder and encircling clamp, characterised in that the locking cum release mechanism consists of (a) a hinge one end of which is attached rigidly to the longer jaw of the clamp the opposite end extending beyond the shorter jaw and being rigidly joined to a threaded bracket having a threaded aperture (b) a pivoting lever within the hinge adapted to press against the shorter jaw of the clamp (c) a screw type adjustable spacer passing through a threaded aperture in the longer jaw allowing the jaws of the clamp to come together to no more than a preset extent and (d) another screw type adjustable spacer passing through the threaded aperture in the bracket attached to the hinge in order to limit the pivot action of the lever when it moves away from the longer jaw.

CLASS 62B.

146666.

Int. Cl.-D061 3/00.

A PROCESS FOR BLEACHING TEXTILE BEING COTTON AND ITS BLENDS AND AN EQUIPMENT FOR IT.

Applicant: AHMEDABAD TEXTILE INDUSTRY'S RESEARCH ASSOCIATION, P.O. POLYTECHNIC, AHMFDABAD-380015, GUJARAT, INDIA

Inventors: RAMANLAL CHANDULAL SHAH AND SHRIKRISHNA VISHWANATH GOKHALE.

Application No. 184/Bom/77 filed June 6, 1977.

Complete Specification left May 18, 1978.

Appropriate office for opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office, Bombay Branch.

#### 5 Claims.

A process for bleaching textiles being cotton and its blends comprising treating the textile by continuous passage thereof through an aqueous solution containing an alkali such as herein described and a reducing agent such as herein described with the addition of a wetting agent known per se, squeezing the impregnated textile to a pick-up, of 70 to 120 percent, of said solution; heating the squeezed textile for a period ranging between 3 minutes and 60 minutes, washing with water and then treating the heated textile with an oxidising agent such as herein described at 20°C to 70°C maintaining the so treated textile at temperature of 20 to 104°C for periods ranging from 3 minutes to 60 minutes.

#### OPPOSITION PROCEEDINGS

(1)

The opposition entered by Sharpedge Limited to the grant of a patent on application No. 139046 made by Harbans Lal Malhotra & Sons Private Limited as notified in Part III, Section 2 of the Gazette of India dated the 4th December 1976 has been partly allowed and a patent has been ordered to be sealed on the application subject to amendment of the complete specification.

(2)

Application for patent No. 145484 made by Forbes Forbes Campbell & Co. Ltd. in respect of which an opposition was entered by Dunlop India Limited, as notified in Part III, Section 2 of the Gazette of India dated the 16th June 1979 has been treated as abandoned.

(3)

An opposition entered by Digambar Madhav Tagare, C/o. M/s. Madhav Capacitors Private Ltd., Bombay to the grant of a patent on application No. 145781 made by General Electric Company, U.S.A. has been dismissed.

## PATENTS SEALED

143178 144437 144746 144803 144850 144927 144929 144939 144964 144969 145017 145150 145151 145153 145157 145162 145177 145183 145184 145186 145191 145205 145216 145219 145241 145242 145243 145263 145299 145312

## AMENDMENT PROCEEDINGS UNDER SECTION 57

Notice is hereby given that Raychem Corporation, a corporation organized and existing under the laws of the State of California, of 300 Constitution Drive, Mealo Park, California 94025, United States of America, have made an application under Section 57 of the Patents Act, 1970 for amendment of the specification of their Patent No. 145664 for "A method for the heat-treatment of articles of metallic compositions capable of transforming between the martensitic and austenitic states and an caticle which has been heat-treated by such method". The amendments are by way of correction. The application for amendment and the proposed amendments can be inspected free of charge at the Patent Office, 214, Acharya Jagadish Bose Road, Calcutta-17 on any working day during the usual

office hours or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the application for amendment may file a notice of opposition on the prescribed form 30 within three months from the date of this notification at the Patent Office, Calcutta. If the written statement of opposition is not filed with the notice of opposition, it shall be left within one month from the date of tiling of the said notice.

# PATENTS DEEMED TO BE ENDORSED WITH THE WORDS 'LICENCES OF RIGHT"

The following patents are deemed to have been endorsed with the words "Licences of right" under Section 87 of the Patents Act, 1970. The dates shown in the elescent brackets are the dates of the patents.

#### No. & Title of the invention

- 134964 (9-3-73) Improvements in or relating to manufacture of garlic powder.
- 136209 (11-6-73) Process for preparing 1, 2, 3-trichloropropene.
- 136777 (19-7-73) Process for the production of new 2-alkylamino-dehydropyridenes.
- 136952 (27-6-73) Process for preparing pentanol derivative.
- 137103 (28-8-73) Process for preparing benzofuran derivatives.
- 137179 (22-10-73) A plant and a process for manufacture of compressed maker's yeast from Indian plantation waste.
- 137191 (2-4-73) Process for preparation of siliceous ashes and apparatus therefor.
- 137280 (25-9-72) Method of cultivating yeast.
- 137319 (10-10-73) Preparation of pyrocatachol derivatives,
- 137362 (25-7-73) Process for production of corned beef.
- 137364 (4-10-72) Process for preparation of oil soluble composition.
- 137389 (31-7-73) Improvements in or relating to black chrome plating.
- 137390 (24-8-72) Process of making feedstuff and apparatus therefor.
- 137400 (4-12-72) Process for production of cellulose by submerged fermentation.
- 137438 (4-9-72) Method of preparing anthelmintic salicy lamilides.

#### RENEWAL FEES PAID

94234 94657 94754 94903 95012 95330 99426 99844 100332 100364 100455 100457 100552 100553 100655 100685 100803 100828 101151 101569 101705 103490 104649 104918 105966 106010 106036 106164 106246 106639 106748 107040 108649 111239 111271 111331 111340 111341 111377 111383 111385 111402 111414 111459 111509 111545 111571 111649 111658 111660 111661 111674 111696 111727 111732 111779 111780 112133 112142 112177 113274 113275 113511 116460  $116579\ 116604\ 116605\ 116621\ 116630\ 116636\ 116657\ 116672$ 116713 116752 116754 116771 116808 116834 116898 117219 117398 117477 120560 121197 122016 122036 122104 122146 122147 122182 122212 122335 122365 122385 122423 122483 122493 122525 122619 127628 122815 122872 123038 125188 126465 126595 126975 127345 127379 127380 127429 127460 127481 127493 137492 127505 127551 127570 127616 127620 127621 127636 127739 127752 127753 127864 127903 128258 128883 131530 131969 131970 132003 132027 132028 132029 132058 132090 132111 132144 132158 132163 132173 132174 132177 132197 132264 132265 132267 132268 132272 132379 132283 132292 132293 132306 132307 132312 132418 132542 

 132568
 132728
 133002
 133028
 135405
 135436
 135475
 135516

 135547
 135615
 135662
 135737
 135751
 135861
 135868
 135988

 136000
 136022
 136024
 136052
 136057
 136083
 136202
 136346

 136349
 136383
 136537
 136539
 136669
 136703
 136708
 136769

 137086
 137196
 137277
 137473
 137708
 138457
 138892
 138987

 139094
 139159
 139210
 139309
 139310
 139321
 139431
 139436

 139855
 140009
 140054
 140074
 140075
 140184
 140241
 140560

 140572
 140573
 140604
 140808
 140825
 141090
 141227
 141335

 141543
 141627
 141628
 141646
 141748
 141812
 141819
 141842

 142671
 142726
 142881
 143046
 143072
 143073
 143307
 143734

 143811
 143822
 143855
 <td

#### RESTORATION PROCEFDINGS

(1)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No 104955 granted to James Gray for an invention relating to "Method an and apparatus for forming a closure on the end of a cylindrical container". The Patent ceased on the 22nd April 1978 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 22nd April 1979.

Any interested person mily give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, 214 Acharya Jagadish Bose Road, Calcutta 17 on or before the 4th October 1979 under Rule 69 of the Patents Rules, 1972 A written statement in triplicate setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks shall be filed with the notice or within one month from the date of the notice

(2)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No 121864 granted to BAU-Stahlgewebe GMBH for an invention relating to "improvements in or relating to spotwelded inforcing mats for use in reinforced concrete". The Patent ceused on the 18th June 1978 due to non payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III Section 2 dated the 24th February 1979

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents The Patent Office, 214, Acharya Jagadish Bose Road, Calcutta-17 on or before the 4th October 1979 under Rule 69 of the Patents Rules, 1972 A written statement in triplicate setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks shall be filed with the notice or within one month from the date of the notice

(3)

Notice is acreby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 136701 granted to Thomas J. Dillon & Co. Inctor an invention relating to 'modular building for use in a prepared foundation site." The Patent ceased on the 12th May 1978 due to non payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III. Section 2 dated the 16th June 1978

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, 214 Achaiya Jagadish Bose Road, Calcutta-17 on or before the 4th October 1979 under Rule 69 of the Patents Rules, 1972. A written statement in triplicate setting out the nature of the opponent's interest the facts upon which he bases his case and the telief he seeks, shall be filled with the notice or within one month from the date of the notice.

(4)

Notice is hereby given that an application was made under Section 60 of the Patents Act 1970 for the restoration of

Patent No 139329 granted to Edwin Francis D'Souza for an invention relating to "an improved automatic electronic fire daim". The Patent ceased on the 17th May 1978 due to non-payment of renewal fees within the prescribed time and the ceasation of the patent was notified in the Gazette of India, Part III. Section 2 dated the 21st April 1979.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents The Patent Office 214, Acharya Jagadish Bose Road, Calcutta 17 on or before the 4th October 1979 under Rule 69 of the Patent Rules, 1972. A written statement in triplicate setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice

#### REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act. 1911

The date shown in each entry is the date of registration of Jesigns included in the entry

- Class 3 No 146736 Kosmos International Ltd., Bahamian Company, of 50 Shirley Street, Nassau, Bahama Islands "Combination clock and calculator". February 22, 1978.
- Class 3 No. 147712 Aparna International, 6 Old Post Office Street Calcutta (West Bengal), an Indian Partnership I irm "Feeding bottle" November 13, 1978.
- Class 3 No 147717 Minni Truding Corporation, 5B Kanchan Villa, Goraswadi Malad, Bombay 400064, Maharashtra, Indian Partnership Firm "Cap of the tablet pourci plug' November 13, 1978
- Class 3 No 147718 Minni Trading Corporation, 5B, Kanchen Villa, Goraswadi, Malad. Bombay 400064, Maharashtra, Indian Partnership Firm 'Cap" November 13, 1978
- Class 3 No 147719 Minni Tiading Corporation 5B, Kenchan Villa, Goraswadi, Malad, Bombay-400064, Maharashtra, Indian Partnership Firm "Tablet pourer cap" November 13, 1978
- Class 3 No 147729 M/s United Electionics of 4/1 Madan Street, Calcutta-700072, West Bengal An Indian Company "Electronic photo flish gun" November 16, 1978
- Class 3 No. 147732 Racold Appliances Pvt Ltd, "Vandhna"
  12th Floor, 11, Tolstoy Marg New Delhi-110001,
  India, an Indian Company "Haudle of an electric
  iron" November 17, 1978
- Class 3 No 147733 Asian Advertisers 20, Kala Bhavan, 3, Mathew Road, Opera House Bombay 400 004, Maharashtra, State, Indian Partnership Firm 'Ash trey' November 17, 1978
- Ciass 3 No 147743 Asian Advertisers 20 Kila Bhavan, 3, Mathew Road, Opera House, Bombay-400 004, Maharashtra an Indian Portuership Firm "Pin tray" November 17, 1978
- Ciass 3 No 147745 Asian Advertisers, 20 Kala Bhavan, 3, Mathew Road, Opera Hou e, Bombay-400004, Maharashtra State, Indian Partnership Firm "Foot scale" November 17, 1978
- Class 3 No 147746 Asian Advertisers 20, Kala Bhavan, 3
  Mathew Road, Orera House, Bombay-400004,
  Maharashtra State Indian Purfnership Firm "Slip
  box" November 17 1978
- Class 3 No 147761 Phenoweld Polymer Pvt Ltd of Saki Vihar Lake Road Bombay-400 072, Maharashtra, State, India, 2 Company Incorporated in India Cabinet" November 23, 1978
- Class 3 Nos 147762 & 147764 to 147767 Dolly Toys Industries a registered partnership firm of D 34, Rajouri Garden, New Delhi 110027, India "Toys" Noember 24, 1978

- Class 3 No 147769 Fykays Engineering Private Limited a private limited company incorporated under the Indian Companies Act, at Unit No 33, 2nd Floor Ghanshyam Industrial Estate, Vecta Desai Road, Andheri (West), Bombay-400058, Maharashtia Disposable probe for simultaneou ly determination of oxygen and temperature of molten metals November 28 1978
- Chass 3 No 147770 Fykays Engineering Private Limited, a private limited company incorporated under the Indian Companies Act, at Unit No 33, 2nd Floor, Ghanshyam Industrial Estate, Veera Desai Road, Andheri (West) Bomb y-400058, Maharashtra "Disposable thermocouple cartride for measurement of temperature of molten metals' November 28, 1978
- Class 3 No 147771 Fykays Engineering Private Limited, a private limited company incorporated under the Indian Companies Act at Unit No 33, 2nd Floor, Ghanshyam Industrial Estate, Veera Desai Road, Andheir (West) Bombay-40008, Maharashtra 'Disposeble carbontip for determination of carbon in molten steel" November 28, 1978
- Class 3 No 147772 f ykays Fngineering Private Limited, a private himited company incorporated under the Indian Companies Act at Unit No 33, 2nd Floor, Ghanshyam Industrial Estate, Vecra Desai Road, Andheri (West). Bombay 400058, Maharashtra Disposable carboutip for determination of carbon equivalent in molten cast non" November 28, 1978
- Class 3 No 147785 M/s Galaxy Products, a partnership firm registered under Indian Partnership Act, 1932, of 2nd Floor, 65, Canning Street, Calcutta-700 001 within the State of West Bengal 'Plastic container' December 1, 1978
- Class 3 No 147787 Avtar Singh Bagga of 7980, Roshanara Road Subzi Mandi, Delhi-110007, an Indian National 'Pencil Sharppe' December 2 1978
- Class 3 No 147791 Natayan R Kishote Proprietor of Para gon Plastic Industries, A/78/1, Wazir Pui Indus trial Aien Delhi 110052 an Indian National 'Basket'' December 4, 1978
- Class 3 No 147792 Frederick Michael D Souza, Indian National of Frederick Heuse 3-Y M C A Road Bombey 400 008 State of Maharashtra India "Bottle cap" December 4, 1978
- Class 3 No 147798 Dolly Toys Industries, a registered partnership firm of D 34, Rajouri Garden New Delhi 110027 India 'Toys' December 7 1978
- Class 3 No 147812 Plastall Consultant 107 Sonal Heavy Industrial Estate Ram-han Iri Lane, Malad (West) Bombay 400064 Maharashtia State, an Indian proprietory firm 'Pneumatic vacuum pichei' December 12, 1978
- Class 3 No 147812 Prince Plasites 312 Churchgate Chambers, 5 Now Marine Lines, Bombay-400020, Maharashtin State, an Indian Partnership Firm "Slicer-cum-aut cutter" December 12, 1879
- Class 3 No 147851 Dholakia's Orthopaedic Appliances Clinic, 203 Mahatma Gandhi Marg, Gorakund Indore-452 002 Madhya Pradesh, an Indian Sole Proprietory concern "Walling stick for blind" December 19, 1978
- Class 3 Nos 147856 to 147858 Plastics & Metal Devices (India) H-172 Ashok V.h.tr., Delhi-110052, India, An Indian Partnership Firm 'Pencil sharpner' December 20, 1978

- Class 3 No 147882 Plastall Consultant, 107. Sonal Heavy Industrial Estate, Ramchandra I ane, Malad (West), Bombay 400064, Maharashtra State, an Indian Proprietory firm "Box cum radio cabinet December 27, 1978
- Class 3 No 147887 Canara Industries (A partnership film duly registered under the partnership Act), of Bata Compound, Khopat, Pokhran Road, No 1, Thana 400 601, State of Maharashtra India 'Flat type lamp holder' December 27, 1978
- Class: 3, No 147888 Canara Industries (Partnership firm duly registered under the Partnership Act), of Bata Compound, Pokhran Road, No 1 Thana 400 601, State of Maharashtra, India Pin type lamp holder" December 27, 1978
- Class 3 No 147908 Thimizi & Company, 364 Sheikh Memon Street, Dubash Market, 2nd Flooi, Room No 104, Bombay 400 002, Maharashtia Sate, an Indian Partnership firm 'Mini movie (Toy)" January 2, 1979
- Class 3 No 147944 Surinder Soni, 18/3, Shakti Nagar, Delhi 110007, an Indian Proprietory concern "Slicer Juicer (Electrically operated)" January 11, 1979
- Class 3 No 147945 Surinder Soni 18/3, Shakti Nagar, Delhi-110007, an Indian Proprietory concern 'Slicer shredder, and salad cutter (Flectrically operated)". fanuary 11, 1979
- Class 3 No 147946 Allied Electrical Industries, Block 9, Gali No 5, House No 6619, Dev Nagar, Karol Bagh, New Delhi 110005, an Indian Partnership Concern "Mixy, January 11, 1979
- Class 3 No 147947 Allied Electrical Industries, Rlock No 9, Gali 5, House No 6619 Dev Nagar, Kurol B. gh New Delhi 110005, an Indian partnership concern Grindet, January 11, 1979
- Class 3 Nos 147948 to 147951 Polly Toys Industries A registered partnership firm of D-34, Rajouri Garden, New Delhi-110027, India "Toys" January
- Class 3 No. 147952 Raj Plastics, 5, Nemani Buildings, OPP IBP Pump, S V Road, Malad (West), Bombay 400064, Maharashtra, an Indian Partnership Firm 'Pump oil can" January 12, 1979
- Class 10 No 147711 Shah Enterprises, Udyog Nagar, Gala No 4, Plot No 9, Goregaon (West), Bombay 400 062, Maharashtra State, an Indian Partnership Fitm Footwear' November 13, 1978
- Class 10 No 147726 Amrit Plastics Private Limited with registered office at 70, Najatgarh Road, New Delhi-110015, a Private Joint Stock Company registered under the Indian Companies Act, 1956 "Shoe November 15, 1978
- Class 10 No 147877 Cotex Hostery Factory, Acme estate, C 6, 2nd Floor, Sewri (East), Bombay 400015, Maharashtra, an Indian Partnership Firm "Knee cap" December 26, 1978
- Class 10 No 147878 Cotex Hosser, Factory, Acme Estate, C-6, 2nd Floor, Sewri (East). Bombay 400015, Maharashtra, an Indian Partnership Firm "Calf guard" December 26, 1978
- Class 10 No 147879 Cotex Hostery Factory, Acme Estate, C-6, 2nd Floor, Sewn (East), Bombay-400015, Maharashtra, an Indian Partnership Firm "Ancle Cap" December 26, 1978

Class 10. No. 147880, Cotex Hosiery Factory, Acme Festate, C-6, 2nd Floor, Sewri (East), Bombay-400015, Maharashtra, an Indian Partnership Firm. "Bike". December 26, 1978.

Class 12. Nos. 147740 to 147742, Jaymes Products, 53, Industrial Area, Ulhasnagar-421004, Maharashtra State, an Indian Proprietory Firm, 'Biscuit'. November 17, 1978.

COPYRIGHT EXTENDED FOR A SECOND PERIOD OF FIVE YEARS

Design No. 141724 Class 1. Design Nos 141723, 141781, 141782, & 141783 Class 3.

Class 4.

Design No. 141814 Class 12.

COPYRIGHT EXTENDED FOR A THIRD PERIOD OF FIVE YEARS

Design Nos. 134805 & 135348

Design Nos. 141722, 141729 & 141730

Class 1.

Design Nos. 134885 & 135422

Class 3.

S. VEDARAMAN

Controller-General of Patents, Designs and Trade Marks.